

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((coding near2 data) with (source or origin) with (destination) with (algorithm)) and (internet adj protocol or ip) and (coding adj algorithm) and (GSM and UMTS and PSTN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:36
L2	1	((coding near2 data) with (source or origin) with (destination) with (algorithm)) and (internet adj protocol or ip) and (coding adj algorithm) and (GSM or UMTS or PSTN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:36
L3	1	((coding near2 data) with (source or origin) with (destination) with (algorithm)) and (internet adj protocol or ip) and (coding adj algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:37
L4	1	((coding near2 (packet or data)) with (source or origin) with (destination) with (algorithm)) and (internet adj protocol or ip) and (coding adj algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:37

L5	1	((encod\$3 or decod\$3 or coding) with (packet or data)) with (source or origin) with (destination) with (algorithm)) and (internet adj protocol or ip) and (coding adj algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:38
L6	6	((encod\$3 or decod\$3 or coding) with (packet or data)) with (source or origin) with (destination) ) and (internet adj protocol or ip) and (coding adj algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:38
L7	5	6 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:38
L8	2	((encod\$3 or decod\$3 or coding) with (packet or data)) with (source or origin) with (destination) ) and (internet adj protocol adj address or ip adj address) and (coding adj algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:42
L9	1	8 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:43

L10	23	((encod\$3 or coding or encryp\$3) with (packet or data)) with (source or origin) with (destination) ) and (internet adj protocol adj address or ip adj address) and ((encoding or encrypting or coding) adj algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:45
L11	21	10 not 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:45
L12	0	11 and gsm and umpts and pstn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:45
L13	0	11 and gsm and umts and pstn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:46
L14	3	11 and (gsm or umts or pstn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:46
L15	18	11 not 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:52

L16	23	((encod\$3 or coding or encryp\$3) with (packet or data)) with (source or origin) with (destination) ) and (internet adj protocol adj address or ip adj address) and ((encoding or encrytping or coding) adj2 algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:56
L17	23	((encod\$3 or coding or encryp\$3) with (packet or data or stream)) with (source or origin) with (destination) ) and (internet adj protocol adj address or ip adj address) and ((encoding or encrytping or coding) adj2 algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:56
L18	23	((encod\$3 or coding or encryp\$3) with (packet or data or stream or package)) with (source or origin) with (destination) ) and (internet adj protocol adj address or ip adj address) and ((encoding or encrytping or coding) adj2 algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:56

L19	4	((encod\$3 or coding or encryp\$3) with (packet or data or stream or package)) and ((packet or data or stream or package) with (source or origin) with destination with algorithm with (select\$3 or choos\$3 or determin\$3)) and (internet adj protocol adj address or ip adj address) and ((encoding or encrypting or coding) adj2 algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:59
L20	3	19 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 16:59
L21	4	((encod\$3 or coding or encrypt\$3) with (packet or data or stream or package)) and ((packet or data or stream or package) with (source or origin) with destination with (encod\$3 or coding or encrypt\$3 or algorithm) with (select\$3 or choos\$3 or determin\$3)) and (internet adj protocol adj address or ip adj address) and ((encoding or encrypting or coding) adj2 algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:02

L22	103	((encod\$3 or coding or encrypt\$3) with (packet or data or stream or package)) and ((packet or data or stream or package) with (source or origin) with destination with (encod\$3 or coding or encrypt\$3 or algorithm) with (select\$3 or choos\$3 or determin\$3)) and (internet adj protocol adj address or ip adj address) and algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:02
L23	10	((encod\$3 or coding or encrypt\$3) with (packet or data or stream or package)) and ((packet or data or stream or package) with (source or origin) with destination with (encod\$3 or coding or encrypt\$3 or algorithm) with (select\$3 or choos\$3 or determin\$3)). ab. and (internet adj protocol adj address or ip adj address) and algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:02
L24	9	23 not 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:03
L25	9	24 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:03

L26	1	22 and gsm and umts and pstn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:14
L27	21	22 and (gsm or umts or pstn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:15
L28	2	27 and ((index\$3 or table) with (algorithm))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:15
L29	56	22 and ((index\$3 or table) with (algorithm))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:16
L30	45	22 and ((index\$3 or table) with (algorithm) with (identification or mark or source or origin or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:17
L31	7	22 and ((index\$3 or table) with (coding or encoding or encrypt\$3) with (algorithm) with (identification or mark or source or origin or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:17
L32	5	31 not 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:18

L33	0	32 and (gsm or umts or pstn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:23
L34	0	32 and (dsp or digital adj signal adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:27
L35	13	22 and (dsp or digital adj signal adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:27
L36	4	32 and (dsp or digital adj signal adj processor or circuit \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/01 17:28

6/ 1/ 08 5:40:38 PM

C:\Documents and Settings\egary\My Documents\EAST\Workspaces\10507335.wsp